

EAST Search History

EAST Search History (Prior Art)

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L4	0	(sensor collector device) WITH ("on") WITH (weight) with ((weight ADJ lifting))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/11/07 04:34
L5	1054	(sensor collector device) WITH (weight) with ((weight ADJ lifting))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/11/07 04:35
L6	4	(sensor collector device) WITH (weights) with ((weight ADJ lifting) ADJ machine)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/11/07 04:35
L7	13	(US-20040171464-\$ or US-20080171922-\$ or US-20040198555-\$ or US-20050071197-\$ or US-20020042328-\$ or US-20050233861-\$).did. or (US-6601016-\$ or US-6746371-\$ or US-6450922-\$ or US-7488277-\$ or US-6231481-\$ or US-6921351-\$ or US-6224519-\$).did.	US-PGPUB; USPAT	OR	ON	2009/11/07 04:59
S1	1	10/645597	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/03/25 16:16
S2	2	((TSE-FEN) near2 (KU)).INV.	US-PGPUB; USPAT	OR	ON	2009/03/25 16:17
S3	27558358	@ad<="20030822" @rlad<="20030822"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/03/25 16:18
S4	33827	709/224.ccls. "482"/\$3.ccls.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/03/25 16:25

S5	20589	S3 AND S4	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/03/25 16:25
S6	183361	(monitor\$3) WITH (users people atheletes)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/03/25 16:26
S7	2856	S6 AND S5	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/03/25 16:26
S8	377	(monitor\$3) WITH (users people atheletes) WITH (exercis \$3) WITH (machines equipment)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/03/25 16:27
S9	212	S8 AND S3	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/03/25 16:27
S10	19	((monitor\$3 analy\$4) WITH (users people atheletes) WITH (exercis\$3) WITH (machines equipment)) SAME (network)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/03/25 16:28
S11	1	S10 AND S5	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/03/25 16:28
S12	25050	"482"/\$3.ccls.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/03/25 16:29
S13	771	S12 AND ((LAN) network)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/03/25 16:29

S14	378	S13 AND ((monitor\$3 observ\$3 analyz\$3) WITH (users atheletes people))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/03/25 16:30
S15	230	S14 AND S3	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/03/25 16:30
S16	2	"6458060".pn.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/03/25 17:08
S17	38	(Ashby near2 Darren).IN.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/03/25 17:15
S18	53	((monitor\$3 analy\$4) WITH (users people atheletes) WITH (exercis\$3) WITH (different several multiple variety) WITH (machines equipment))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/03/25 17:30
S19	19	S18 AND S5	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/03/25 17:30
S22	4	S19 AND (buffer)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/03/25 17:36
S23	1	"6702719".pn. AND ("43")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/03/25 18:07
S24	1	(michael near2 brown).IN. AND (detachable adj2 system)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/03/25 18:09

S25	2	"5598849".pn.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/03/26 15:17
S26	1	"6702719".pn. AND (internet)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/03/26 15:39
S27	2	"20020045519" AND (internet)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/03/26 15:43
S28	2	"20020045519" AND (third ADJ party)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/03/26 16:12
S29	5963	(transmit\$3 send\$3) WITH (results) WITH ((third ADJ party) (center))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/03/26 16:31
S30	25060	"482"/\$3.ccls.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/03/26 16:32
S31	2	S29 AND S30	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/03/26 16:32
S32	0	"6702719" AND (Portable ADJ storage ADJ device)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/03/26 17:19
S33	0	"6702719".pn. AND (Portable ADJ storage ADJ device)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/03/26 17:20

S34	1	"6702719".pn. AND (Portable)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/03/26 17:20
S35	1	"6702719".pn. AND (storage)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/03/26 17:21
S36	69	(buffer) WITH (exercise) WITH (storage memory)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/03/26 17:29
S37	6	"20020045519" "6702719".pn.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/03/26 17:44
S38	5982527	(adapter slot connection)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/03/26 17:44
S39	3	S37 AND S38	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/03/26 17:44
S40	2991	(storage memory) WITH (buffer \$1) WITH (stor\$3 sav\$3) WITH ("different") WITH (data parts portions)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/03/26 18:09
S41	33854	709/224.ccls. "482"/\$3.ccls.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/03/26 18:09
S42	3	S40 AND S41	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/03/26 18:09

S43	8437	(memory storage) WITH (card device) WITH (monitor\$3 ADJ (device computer system))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/03/26 18:14
S44	204	S43 AND S41	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/03/26 18:14
S45	333	(memory storage USB) WITH (card device) WITH (transportable portable) WITH (monitor\$3 ADJ (device computer system))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/03/26 18:18
S46	4	S45 AND S30	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/03/26 18:19
S47	8580	(memory storage USB) WITH (card device stick) WITH (monitor\$3 ADJ (device computer system))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/03/26 18:20
S48	25	S47 AND S30	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/03/26 18:20
S49	13638	(monitor\$3 ADJ (device computer system)) WITH (users)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/03/26 18:25
S50	141	S49 AND S30	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/03/26 18:25
S51	27558790	@ad<="20030822" @rlad<="20030822"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/03/26 18:26

S52	93	S50 AND S51	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/03/26 18:26
S53	8599	(memory storage USB) WITH (card device stick adapter) WITH (monitor\$3 ADJ (device computer system))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/03/26 18:26
S54	12	S52 AND S53	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/03/26 18:27
S55	2	(memory) WITH (card stick adapater) WITH (stor\$3) WITH (data stats statistics) WITH ("different") WITH (exercises)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/03/26 18:32
S56	42	(memory) WITH (card stick adapater) WITH (stor\$3) WITH (data stats statistics) WITH (exercises)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/03/26 18:35
S57	12	(US-20050044210-\$ or US- 20070265138-\$ or US- 20060205566-\$ or US- 20020082142-\$ or US- 20020045519-\$ or US- 20050075214-\$ or US- 20090007188-\$ or US- 20020022551-\$).did. or (US- 6458060-\$ or US-6918858-\$ or US-6702719-\$ or US-5598849- \$).did.	US-PGPUB; USPAT	OR	ON	2009/03/26 18:40
S58	2	S57 AND (memory ADJ stick)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/03/26 18:40
S59	3	"20020045519"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/03/26 18:43

S60	2	S59 AND (stick)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/03/26 18:43
S61	2	"20020022551" AND (stick)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/03/26 18:55
S62	3	(record\$3 log\$4 stor\$3 sav\$3) WITH (data analysis) WITH (table) WITH (after post) WITH (exercises)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/11/06 21:53
S63	236	(record\$3 log\$4 stor\$3 sav\$3) WITH (data analysis) WITH (buffers allocation partions parts) WITH (exercises)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/11/06 21:55
S64	119	(record\$3 log\$4 stor\$3 sav\$3) WITH (data analysis) WITH (buffers allocation partions parts) WITH (exercises) WITH (memory storage database)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/11/06 21:57
S65	27601533	@ad<="20030822" @rlad<="20030822"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/11/06 21:58
S66	79	S64 AND S65	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/11/06 21:58
S67	474	(record\$3 log\$4 stor\$3 sav\$3) near5 (data analysis) near5 (exercises) near5 (memory storage database)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/11/06 22:32
S68	4	(record\$3 log\$4 stor\$3 sav\$3) near5 (data analysis) near5 (different) near5 (exercises) near5 (memory storage database)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/11/06 22:33

S69	0	(record\$3 log\$4 stor\$3 sav\$3) near5 (results metrics) near5 (different) near5 (exercises) near5 (memory storage database)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/11/06 22:34
S70	0	(results metrics) near5 (different) near5 (exercises) near5 (memory storage database)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/11/06 22:35
S71	0	(results metrics) near5 (different) near5 (exercises) near5 (memory storage database table)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/11/06 22:35
S72	172	(results metrics) near5 (exercises) near5 (memory storage database table)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/11/06 22:35
S73	107	S72 AND S65	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/11/06 22:35
S74	58	(monitor\$3) near5 (results metrics) near5 (results) near5 (exercises)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/11/06 22:39
S75	32	S74 AND S65	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/11/06 22:39
S76	0	(memory) near5 (results metrics) near5 (different) near5 (exercises)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/11/06 22:54
S77	32	(memory) near5 (results metrics) near5 (exercises)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/11/06 22:54

S78	21	S77 AND S65	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/11/06 22:55
S79	27	(stor\$3 sav\$3) WITH (results metrics) WITH ("different") WITH ((work adj2 outs) (obstacles) exercises)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/11/06 22:59
S80	35	(stor\$3 sav\$3 record\$3) WITH (results metrics) WITH ("different") WITH ((work adj2 outs) (obstacles) exercises)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/11/06 22:59
S81	38	(stor\$3 sav\$3 record\$3 log\$4) WITH (results metrics) WITH ("different") WITH ((work adj2 outs) (obstacles) exercises)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/11/06 22:59
S82	206	(stor\$3 sav\$3 record\$3 log\$4) WITH (results metrics properties data) WITH ("different") WITH ((work adj2 outs) (obstacles) exercises)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/11/06 22:59
S83	126	S82 AND S65	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/11/06 22:59
S84	2	"7328612".pn.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/11/06 23:12
S85	3	11/315,682	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/11/06 23:15
S86	22	(memory storage) WITH ("different") WITH (exercises ADJ (devices machines))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/11/06 23:25

S87	14	S86 AND S65	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/11/06 23:25
S88	6	(memory storage) WITH (results) WITH (exercises ADJ (devices machines))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/11/06 23:26
S89	6	(memory storage) WITH (results) WITH (exercise ADJ (devices machines))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/11/06 23:26
S90	14	(log\$4 sav\$3) WITH (data results) WITH (exercise ADJ (devices machines))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/11/06 23:27
S91	4	"6601016".pn.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/11/06 23:31
S92	21	"6746371"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/11/06 23:36
S93	2	"6746371".pn.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/11/06 23:36
S94	141	(stor\$3 sav\$3) WITH (data stats statistics) WITH (exercises) WITH (folders files)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/11/07 00:03
S95	53	S94 AND S65	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/11/07 00:03

S96	62565	S65 and (speed or distance or time or lifting adj time or pound) near3 (log or file or logging or filing)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/11/07 00:06
S97	7625	S65 and (speed or distance or time or lifting adj time or pound) near3 (log or file or logging or filing) near5 (saving or logging or storing or storage or memory)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/11/07 00:07
S98	1107	S65 and (speed or distance or lifting adj time or pound) near3 (log or file or logging or filing) near5 (saving or logging or storing or storage or memory)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/11/07 00:08
S99	670	S65 and (speed or distance or lifting adj time or pound) near3 (log or file) near5 (saving or logging or storing or storage or memory)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/11/07 00:09
S100	35637	709/224.ccls. "482"/\$3.ccls.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/11/07 00:10
S101	8	S99 and S100	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/11/07 00:10
S102	51598	S65 and (log or file) near5 (saving or logging or storing)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/11/07 00:12
S103	866	S102 and S100	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/11/07 00:12
S104	44	S103 and exercise	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/11/07 00:14

S105	14	S104 and "482"/\$3.ccls.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/11/07 00:18
S106	41	(buffer near5 memory) AND "482"/\$3.ccls.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/11/07 00:33
S107	31	S106 AND S65	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/11/07 00:37
S108	1	((temporarily) WITH (sav\$3 stor \$3) WITH (results data metrics)) SAME ((weight ADJ lifting))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/11/07 00:42
S109	150	((temporarily) WITH (sav\$3 stor \$3) WITH (results data metrics)) SAME ((exercise))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/11/07 00:42
S110	54	((temporarily) WITH (sav\$3 stor \$3) WITH (results data metrics)) WITH ((exercise))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/11/07 00:42
S111	30	S110 AND S65	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/11/07 00:42
S112	0	((temporarily) WITH (sav\$3 stor \$3) WITH (results data metrics)) WITH ((exercise ADJ machines)) WITH (storage memomry database)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/11/07 00:50
S113	1	((temporarily) WITH (sav\$3 stor \$3) WITH (results data metrics)) WITH ((exercise ADJ machines)) WITH (storage memory database)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/11/07 00:50

S114	5	((sav\$3 stor\$3) WITH (results data metrics)) WITH ((exercise ADJ machines)) WITH (part) WITH (storage memory database)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/11/07 00:54
S115	5	((sav\$3 stor\$3) WITH (results data metrics)) WITH ((exercise ADJ machines)) WITH (part buffer) WITH (storage memory database)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/11/07 01:00
S116	5	((sav\$3 stor\$3) WITH (results data metrics)) WITH ((exercise ADJ machines)) WITH (part buffer region) WITH (storage memory database)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/11/07 01:00
S117	0	((sav\$3 stor\$3) WITH (results data metrics)) WITH ((exercise ADJ machines)) WITH (buffer region) WITH (storage memory database)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/11/07 01:01
S118	0	((sav\$3 stor\$3) WITH (results data metrics)) WITH ((exercise ADJ machines)) WITH (buffer)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/11/07 01:01
S119	0	((sav\$3 stor\$3) WITH (results data metrics)) WITH ((exercise ADJ machines)) WITH (cache)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/11/07 01:02
S120	106	((sav\$3 stor\$3) WITH (results data metrics)) WITH ((exercise ADJ machines))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/11/07 01:02
S121	61	S120 AND S65	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/11/07 01:02
S122	1	(temporarily) WITH ((sav\$3 stor\$3) WITH (results data metrics)) WITH ((exercise ADJ machines))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/11/07 01:02

S123	1	(storage memory) WITH (segments buffer allocations space region) WITH (data metrics results) WITH (different all) WITH (exercise ADJ machines)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/11/07 01:08
S124	5	(stor\$3 sav\$3 log\$4 record\$3) WITH (data metrics results) WITH (different all) WITH (exercise ADJ machines)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/11/07 01:09
S125	21	(stor\$3 sav\$3 log\$4 record\$3) SAME (data metrics results) SAME (different all) WITH (exercise ADJ machines)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/11/07 01:10
S126	45	(stor\$3 sav\$3 log\$4 record\$3) SAME (data metrics results) SAME (different all) SAME (exercise ADJ machines)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/11/07 01:10
S127	21	S126 AND S65	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/11/07 01:13
S128	29961	((temporarily) WITH (sav\$3 stor\$3) WITH (results data metrics)) WITH (buffer)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/11/07 01:15
S129	29988	((temporarily) WITH (sav\$3 stor\$3) WITH (results data metrics measurements)) WITH (buffer)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/11/07 01:16
S130	3	S129 AND (exercise ADJ (machines devices))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/11/07 01:17
S131	0	(buffer) WITH ((weight ADJ lift \$3) near2 machine)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/11/07 01:20

S132	1	(memory) WITH ((weight ADJ lift\$3) near2 machine)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/11/07 01:20
S133	4	(storage) WITH ((weight ADJ lift\$3) near2 machine)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/11/07 01:21
S134	8	(buffer) WITH ((exercise) ADJ machine)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/11/07 01:21
S135	0	(pre pre-determined) WITH (memory storage) WITH ((exercise) ADJ machine)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/11/07 01:22
S136	246845	(speed time lifting distance pound) WITH (buffer)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/11/07 01:23
S137	13938	(speed time lifting distance pound) ADJ (buffer)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/11/07 01:24
S138	3	S137 AND "482"/\$3.ccls.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/11/07 01:24
S139	0	(track\$3 record\$3 sav\$3 stor \$3) WITH (resistance) WITH (weight ADJ lift\$3 (bench ADJ press\$3)) WITH (results metrics measurements data)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/11/07 01:28
S140	31	(track\$3 record\$3 sav\$3 stor \$3) WITH (weight ADJ lift\$3 (bench ADJ press\$3)) WITH (results metrics measurements data)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/11/07 01:28

S141	20	S140 AND S65	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/11/07 01:29
S142	0	(stor\$3 sav\$3 record\$3) WITH (athlete user person gymnast exerciser) WITH ((weight ADJ lift\$3)) WITH (allocated pre pre-determined assigned) WITH (memory storage)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/11/07 01:36
S143	0	(stor\$3 sav\$3 record\$3) WITH ((weight ADJ lift\$3)) WITH (allocated pre pre-determined assigned) WITH (memory storage)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/11/07 01:37
S144	53551	(stor\$3 sav\$3 record\$3) WITH (data metrics measurements) WITH (allocated pre pre- determined assigned) WITH (memory storage)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/11/07 01:37
S145	34	(stor\$3 sav\$3 record\$3) WITH (data metrics measurements) WITH (allocated pre pre- determined assigned) WITH (memory storage) WITH (exercises)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/11/07 01:37
S146	19	S145 AND S65	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/11/07 01:38
S147	3	(stor\$3 sav\$3 record\$3) WITH (data metrics measurements) WITH (memory storage) WITH (different various) WITH (exercise ADJ machines)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/11/07 01:40
S148	63	(stor\$3 sav\$3 record\$3) WITH (data metrics measurements) WITH (memory storage) WITH (exercise ADJ machines)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/11/07 01:40
S149	37	S148 AND S65	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/11/07 01:40

S150	44	(stor\$3 sav\$3 record\$3) WITH (data metrics measurements) WITH (memory storage) WITH (work ADJ outs)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/11/07 01:42
S151	38	S150 AND S65	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/11/07 01:43
S152	85	(stor\$3 sav\$3 record\$3) WITH (data metrics measurements) WITH (exercises) WITH (table)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/11/07 01:46
S153	339	(weight ADJ lift\$3) WITH (data results metrics)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/11/07 01:52
S154	238	S153 AND S65	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/11/07 01:52
S155	105	S154 AND "482"/\$3.ccls.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/11/07 01:53
S156	72572	(stor\$3) WITH (data) WITH (buffers) WITH (memory)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/11/07 02:36
S157	51799	S156 AND S65	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/11/07 02:37
S158	8	S157 AND "482"/\$3.ccls.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/11/07 02:37

S159	18	(stor\$3) WITH (data) WITH (buffers) WITH (memory) WITH (exercises)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/11/07 03:14
S160	12	S159 AND S65	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/11/07 03:15
S161	18	(stor\$3) WITH (data) WITH (buffer) WITH (memory) WITH (exercises)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/11/07 03:15
S162	17	(temporarily) WITH (stor\$3) WITH (data results)WITH (memory) WITH (exercises)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/11/07 03:16
S163	5	S162 AND S65	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/11/07 03:16
S164	1054	(sensor collector device) WITH (weight) with ((weight ADJ lifting))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/11/07 04:31
S165	493	S164 AND "482"/\$3.ccls.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/11/07 04:31
S166	27601533	@ad<="20030822" @rlad<="20030822"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/11/07 04:31
S167	385	S165 AND S166	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/11/07 04:31

11/7/2009 5:04:02 AM

C:\Documents and Settings\amejia\My Documents\EAST\Workspaces\10645597.wsp